

IP-BAG SMALL / IP-BAG LARGE



Part-No. 1101496 / 1101497



* IP-BAG SMALL, ID 1101496



* IP-BAG LARGE, ID 1101497



Step 1: Insert the battery on the device and remove any stickers and dirt in the sealing area for the cuff on the device.



Step 2: Stretch the sealing lip of the IP-BAG sufficiently and pull the BAG completely over the E-FORCE drive.



Step 3: Pull back the sealing lip slightly to achieve a proper seal.

Note: Pay attention to any overlaps as well as the correct position of the sealing lip on the cylinder body.

Maintenance after underwater use

- If the unit becomes dirty, rinse it thoroughly with clean water to remove mud, silt, algae, salt water or other contamination.
- After operating underwater or in moisture, the unit must be dried.
- When removing the IP-BAG, check to see if water has entered the drive. If water has entered the drive - contact your service partner.
- Burnished parts (bolts, blades and lugs) must be greased or preserved.
- The unit remains basically ready for operation after underwater use.

During the next service, inform your service partner that the device was used underwater.

Further notes on storage and visual inspection

- Visually inspect for cracks and damage before and after use. In particular, check the condition of the sealing lip.
- Storage must be UV-protected in the enclosed bag.
- Shelf life 10 years.

Technical data (LARGE):

Type	Assignment	E-FORCE Generation
RSX 180-80 PLUS E-FORCE	IP BAG LARGE	E-FORCE
RSX 200-107 PLUS E-FORCE	IP BAG LARGE	E-FORCE
SPS 400 E-FORCE	IP BAG LARGE	E-FORCE
C 100 E-FORCE2	IP BAG LARGE	E-FORCE2
RSU 180 PLUS E-FORCE2	IP BAG LARGE	E-FORCE2
RSU 210 PLUS E-FORCE2	IP BAG LARGE	E-FORCE2
RSX 175-105 E-FORCE2	IP BAG LARGE	E-FORCE2
RSX 180-80 PLUS E-FORCE2	IP BAG LARGE	E-FORCE2
RSX 185 ALL-NINE E-FORCE2	IP BAG LARGE	E-FORCE2
RSX 200-107 E-FORCE2	IP BAG LARGE	E-FORCE2
SP 40 C E-FORCE2	IP BAG LARGE	E-FORCE2
SP 44 AS E-FORCE2	IP BAG LARGE	E-FORCE2
SPS 400 E-FORCE2	IP BAG LARGE	E-FORCE2
RSX 175 E-FORCE3	IP BAG LARGE	E-FORCE3
RSU 180 PLUS E-FORCE3	IP BAG LARGE	E-FORCE3
RSC 190 PLUS E-FORCE3	IP BAG LARGE	E-FORCE3
RSC 200 PLUS E-FORCE3	IP BAG LARGE	E-FORCE3
RSU 210 PLUS E-FORCE3	IP BAG LARGE	E-FORCE3
RSX 185 ALL NINE E-FORCE3	IP BAG LARGE	E-FORCE3
RSC F7 E-FORCE3	IP BAG LARGE	E-FORCE3
SP 40 C E-FORCE3	IP BAG LARGE	E-FORCE3
SP 44 AS E-FORCE3	IP BAG LARGE	E-FORCE3
SP 50 BS E-FORCE3	IP BAG LARGE	E-FORCE3
SP 54 AS E-FORCE3	IP BAG LARGE	E-FORCE3
SPS 400 MK2 E-FORCE3	IP BAG LARGE	E-FORCE3
SPS 480 MK2 E-FORCE3	IP BAG LARGE	E-FORCE3

Illustrations are not binding. Subject to technical changes. Version 07/2023A

WEBER-HYDRAULIK GMBH
Heilbronner Straße 30
74363 Güglingen/Deutschland
Fon +49 7135/71-10270
info@weber-rescue.com

Emil Weber Platz 1
4460 Losenstein/Österreich
Fon +43 7255/6237-120
info@weber-rescue.com

Technical data (SMALL):

Type	Assignment	E-FORCE Generation
BC 250 E-FORCE	IP BAG SMALL	E-FORCE
RSX 160-50 E-FORCE	IP BAG SMALL	E-FORCE
RSX 165-65 E-FORCE	IP BAG SMALL	E-FORCE
SPK 250 E-FORCE	IP BAG SMALL	E-FORCE
SPS 270 E-FORCE	IP BAG SMALL	E-FORCE
SPS 330-E-FORCE	IP BAG SMALL	E-FORCE
SPS 360 E-FORCE	IP BAG SMALL	E-FORCE
SPS 360 L E-FORCE	IP BAG SMALL	E-FORCE
SPS 370 E-FORCE	IP BAG SMALL	E-FORCE
Door opener E-FORCE	IP BAG SMALL	E-FORCE
BC 250 E-FORCE2	IP BAG SMALL	E-FORCE2
DO 140 E-FORCE2	IP BAG SMALL	E-FORCE2
RIT-TOOL E-FORCE2	IP BAG SMALL	E-FORCE2
RSX 160-50 E-FORCE2	IP BAG SMALL	E-FORCE2
SPS 270 E-FORCE2	IP BAG SMALL	E-FORCE2
SPS 270 MK2 E-FORCE2	IP BAG SMALL	E-FORCE2
SPS 360 E-FORCE2	IP BAG SMALL	E-FORCE2
SPS 360 L E-FORCE2	IP BAG SMALL	E-FORCE2
SPS 370 E-FORCE2	IP BAG SMALL	E-FORCE2
RIT-TOOL E-FORCE3	IP BAG SMALL	E-FORCE3
RSX 160 E-FORCE3	IP BAG SMALL	E-FORCE3
RSC 170 E-FORCE3	IP BAG SMALL	E-FORCE3
SPS 270 MK2 E-FORCE3	IP BAG SMALL	E-FORCE3
SPS 360 MK2 E-FORCE3	IP BAG SMALL	E-FORCE3
SPS 370 MK2 E-FORCE3	IP BAG SMALL	E-FORCE3
DO 140 MK2 E-FORCE3	IP BAG SMALL	E-FORCE3